

FIG. 1

METHOD AND APPARATUS FOR DATA OBJECT PROFILING Kosche, et al. 004-9158 2/14




FIG. 2A

LANGUAGE CONSTRUCT INDEX TABLE <u>231</u>

INDEX	LANGUAGE CONSTRUCT	ADDRESS
0	STRUCT TREE	0X02000000
1	INT TREE.LEAFS	0X02000020
2	STRUCT TREE.NODE	0X02000100

FIG. 2B




FIG. 3





FIG. 4



METHOD AND APPARATUS FOR DATA OBJECT PROFILING Kosche, et al. 004-9158 6/14




FIG. 6

METHOD AND APPARATUS FOR DATA OBJECT PROFILING Kosche, et al. 004-9158 7/14




FIG. 7

METHOD AND APPARATUS FOR DATA OBJECT PROFILING

1.5

+

Kosche, et al. 004-9158

8/14

SOURCE-LEVEL
DATA OBJECT
LANGUAGE
CONSTRUCT
INDEXED PROFILE
DATA STRUCTURE
801




FIG. 8A

ADDRESS
INDEXED PROFILE
DATA STRUCTURE
821

INDEX
823A

SAMPLED RUNTIME EVENT
DATA STRUCTURE
808

...

INDEX FOR
0X0640
823E

INDEX FOR
0X0720
823G

FIG. 8B

METHOD AND APPARATUS FOR DATA OBJECT PROFILING

Kosche, et al. 004-9158

9/14

SAMPLED RUNTIME EVENT DATA STRUCTURE

900

EVENT TYPE FIELD 901
METRIC FIELD 903
NUMBER OF EVENTS FIELD 905
ADDRESS FIELD 907
ADDRESS TYPE FIELD 909
THREAD ID FIELD 911
PROCESSOR ID FIELD 913
PID FIELD <u>915</u>
PROGRAM COUNTER FIELD 917
FUNCTION NAME FIELD 919

FIG. 9

METHOD AND APPARATUS FOR DATA OBJECT PROFILING Kosche, et al. 004-9158 10/14




FIG. 10

METHOD AND APPARATUS FOR DATA OBJECT PROFILING Kosche, et al. 004-9158 11/14 RECEIVE N CODE ATTRIBUTES 1101 X=0 <u>1103</u> RETRIEVE ALL PROFILE DATA **ENTRIES MATCHING CODE** ATTRIBUTE X <u>1105</u> **INCREMENT** X 1107 SORT THE X>N **RETRIEVED** YES-1109 **PROFILE DATA** 1113

NO

REMOVE THE RETRIEVED

PROFILE DATA NOT MATCHING

ATTRIBUTE X

1111

+

FIG. 11

PROVIDE THE

SORTED AND

FILTERED

PROFILE DATA

<u>1115</u>

DATA STALL SECONDS	ADDRESS	ADDRESS TYPE
549.909	<total></total>	
75.303	0X02000640	PHYSICAL
14.270	0X00000720	PHYSICAL
	•••	VIRTUAL

FIG. 12

METHOD AND APPARATUS FOR DATA OBJECT PROFILING Kosche, et al. 004-9158

+

12/14

E\$ STALL SECONDS	DATA E\$ READ MISSES %	DATA E\$ REFERENCES %	DATA DTLB MISSES %	SOURCE- LEVEL DATA OBJECT LANGUAGE CONSTRUCT
297.569	100.00	100.00	100.00	<total></total>
166.402	59.4	37.3	70.0	TREE
124.601	39.5	41.4	29.7	TABLE

FIG. 13A

E\$ STALL SECONDS	DATA E\$ READ MISSES%	DATA E\$ REFERENCES %	DATA DTLB MISSES %	SOURCE- LEVEL DATA OBJECT LANGUAGE CONSTRUCT
166.402	59.4	37.3	70.0	TREE
29.1	8.2	3.7	0.1	INT TREE.LEAFS
		•••		•••
•••			•••	

FIG. 13B

+

PROFILE DATA FOR FUNCTIONS

E\$ STALL SECONDS	E\$ CYCLES %	FUNCTIONS
785.235	100.00	<total></total>
39.262	5.00	STACK_CONTROL
38.477	4.9	GARBAGE_COLLECT
	•••	•••

FIG. 14A

PROFILE DATA FOR SOURCE- LEVEL DATA OBJECT LANGUAGE CONSTRUCTS

E\$ STALL SECONDS	E\$ CYCLES %	SOURCE- LEVEL DATA OBJECT LANGUAGE CONSTRUCTS
785.235	100.00	<total></total>
117.785	15.00	TOS
94.239	12.00	NUM_ENTRIES
•••		

FIG. 14B

PROFILE DATA FOR FUNCTIONS FILTERED BY TIME

E\$ STALL SECONDS	E\$ CYCLES %	TIME IN SECONDS
785.235	100.00	<total></total>
15.704	2.00	0 - 10
23.557	3.00	10 - 20
196.309	25.00	20 - 30

FIG. 14C

METHOD AND APPARATUS FOR DATA OBJECT PROFILING Kosche, et al. 004-9158 14/14

+

PROFILE DATA FILTERED BY TIME (20 - 30 SECONDS) AND FUNCTION

E\$ STALL SECONDS	E\$ CYCLES %	E\$ CYCLES % FOR SELECTED PARAMETERS	FUNCTIONS
196.309	25.00	100.00	<total></total>
31.409	4.00	16.00	GARBAGE_COLLECT
5.889	0.75	3.00	STACK_CONTROL
•••			

FIG. 14D

PROFILE DATA FILTERED BY TIME (20 - 30 SECONDS) FOR FUNCTION GARBAGE COLLECT

E\$ STALL SECONDS	E\$ CYCLES %	E\$ CYCLES % FOR SELECTED PARAMETERS	SOURCE- LEVELDATA OBJECTS
31.409	4.0	100.00	<total></total>
29.839	3.8	95.00	STRUCTURE H
			•••

FIG. 14E

PROFILE DATA FILTERED BY TIME (20 - 30 SECONDS) FOR STRUCTURE H OF FUNCTION GARBAGE COLLECT

E\$ STALL SECONDS	E\$ CYCLES %	E\$ CYCLES % FOR SELECTED PARAMETERS	H ELEMENTS [OFFSET]
29.839	3.8	100.00	<total></total>
14.9195	1.9	50.0	H.HEAD [0]
0.0	0.0	0.0	H.TAIL [4]
•••			
14.9195	1.9	50.0	H.VOLUME [158]

FIG. 14F